



Thursday, May 03, 2012

Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Project ID: DELL

Sample ID#s: BB78100 - BB78101, BB78104, BB78106 - BB78111, BB78114, BB78116

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 14:53
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78100

Project ID: DELL

Client ID: 4D 0.25-0.5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	97		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	1200	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	330	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	64		%	05/01/12		MH	30 - 150 %
% TCMX	77		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4D 0.25-0.5

Phoenix I.D.: BB78100

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 14:54
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78101

Project ID: DELL
Client ID: 4D 0.5-0.75

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	94		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	340	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	89		%	05/01/12		MH	30 - 150 %
% TCMX	85		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4D 0.5-0.75

Phoenix I.D.: BB78101

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 15:04
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78104

Project ID: DELL

Client ID: 4D 5-6

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	88		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	410	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	68		%	05/01/12		MH	30 - 150 %
% TCMX	74		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4D 5-6

Phoenix I.D.: BB78104

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

04/26/12
04/27/12

Time

15:06
14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78106

Project ID: DELL

Client ID: 4D 7-8

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	96		%	05/01/12		MH	30 - 150 %
% TCMX	87		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4D 7-8

Phoenix I.D.: BB78106


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

04/26/12

Time

15:24

04/27/12

14:34

Laboratory Data

SDG ID: GBB78100

Phoenix ID: BB78107

Project ID: DELL

Client ID: B-119 1.5-2

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	92		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C

PCB (Soxhlet)

PCB-1016	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	340	ug/Kg	05/01/12		MH	3540C/8082

QA/QC Surrogates

% DCBP	98		%	05/01/12		MH	30 - 150 %
% TCMX	87		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: B-119 1.5-2

Phoenix I.D.: BB78107


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 15:25
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78108

Project ID: DELL

Client ID: B-119 2-3

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	90		%	05/01/12		MH	30 - 150 %
% TCMX	85		%	05/01/12		MH	30 - 150 %

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 15:26
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78109

Project ID: DELL

Client ID: B-119 3-4

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	96		%	05/01/12		MH	30 - 150 %
% TCMX	84		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: B-119 3-4

Phoenix I.D.: BB78109

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 15:35
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78110

Project ID: DELL
Client ID: 1C 0.25-0.5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	96		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	340	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	88		%	05/01/12		MH	30 - 150 %
% TCMX	81		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 1C 0.25-0.5

Phoenix I.D.: BB78110


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 15:36
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78111

Project ID: DELL
Client ID: 1C 0.5-0.75

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	95		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	330	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	330	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	97		%	05/01/12		MH	30 - 150 %
% TCMX	88		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 1C 0.5-0.75

Phoenix I.D.: BB78111

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 15:43
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78114

Project ID: DELL
Client ID: 1C 5-6

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	91		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	96		%	05/01/12		MH	30 - 150 %
% TCMX	86		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 1C 5-6

Phoenix I.D.: BB78114

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 03, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 15:45
04/27/12 14:34

Laboratory Data

SDG ID: GBB78100
Phoenix ID: BB78116

Project ID: DELL

Client ID: 1C 7-8

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	89		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	99		%	05/01/12		MH	30 - 150 %
% TCMX	87		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 1C 7-8

Phoenix I.D.: BB78116


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

May 03, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

May 03, 2012

QA/QC Data

SDG I.D.: GBB78100

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 199537, QC Sample No: BB78097 (BB78100, BB78101, BB78104, BB78106, BB78107, BB78108, BB78109, BB78110, BB78111, BB78114, BB78116)									
<u>Polychlorinated Biphenyls - Solid</u>									
PCB-1016	ND	84	89	5.8				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	79	84	6.1				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	101	80	91	12.9				30 - 150	30
% TCMX (Surrogate Rec)	82	66	72	8.7				30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference

Phyllis Shiller, Laboratory Director
May 03, 2012

Sample Criteria Exceedences Report

Requested Criteria: GAM, GBM, I/C, RC

GBB78100

SampNo	LocCode	Acode	Phoenix Analyte	Criteria Units	ST	State Category	Criteria Name	Result	RL	Factored Criteria	Factored RL Criteria	Analysis Units
BB78100	LBG-FARM	\$PCB_SOXR	PCB-1254	mg/kg	CT	Pesticides, Pcb's, Tph, A	RES DEC (mg/kg)	1200	330	1000	1000	ug/Kg

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Phoenix Environmental Labs, Inc. **Client:** LBG-FARM

Project Location: DELL **Project Number:**

Laboratory Sample ID(s): BB78100, BB78101, BB78102, BB78103, BB78104, BB78105, BB78106, BB78107, BB78108, BB78109, BB78110, BB78111, BB78112, BB78113, BB78114, BB78115, BB78116

Sampling Date(s): 4/26/2012

RCP Methods Used:


☐ 1311/1312 ☐ 6010 ☐ 7000 ☐ 7196 ☐ 7470/7471 ☐ 8081 ☐ EPH ☐ TO15
☒ 8082 ☐ 8151 ☐ 8260 ☐ 8270 ☐ ETPH ☐ 9010/9012 ☐ VPH

1.	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence Protocol documents?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1a.	Were the method specified preservation and holding time requirements met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1b.	EPH and VPH methods only: Was the VPH or EPH method conducted without significant modifications (see section 11.3 of respective RCP methods)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
2.	Were all samples received by the laboratory in a condition consistent with that described on the associated Chain-of-Custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3.	Were samples received at an appropriate temperature (< 6 Degrees C)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
4.	Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5a.	Were reporting limits specified or referenced on the chain-of-custody?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5b.	Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
6.	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
7.	Are project-specific matrix spikes and laboratory duplicates included in the data set?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA

Note: For all questions to which the response was "No" (with the exception of question #5a, #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or 1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized
Signature: _____



Date: Thursday, May 03, 2012
Printed Name: Maryam Taylor
Position: Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



RCP Certification Report

May 03, 2012

SDG ID.: GBB78100

PCB Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Au-ecd6 05/01/12-1 (BB78100, BB78101, BB78104, BB78106, BB78107, BB78108, BB78109, BB78110, BB78111, BB78114, BB78116)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn

Position: Chemist

Date: 5/1/2012

QC (Batch Specific)

----- Sample No: BB78097, QA/QC Batch: 199537 -----

All LCS recoveries were within 40 - 140 with the following exceptions: None.

All LCSD recoveries were within 40 - 140 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

